

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M

L

K

J

H

G

F



E

D




C

B




A






SECTION A-A



COVER RAILBOX






BASE RAILBOX






General information:
-  piece zero point for mechanical processing
- Minimum recommended radius for machining = R1.0 mm
- Mounting rail like EN 60715: TH 35-15
- Recommended PCB outline on www.italtronic.com

HINGED PANEL





HOOK





SPRING

2:1







RIF.	Q.TY	DRAWING	DESCRIPTION
1	1	2_110_00032	HOOK RAILBOX
2	1	2_110_00033	BASE RAILBOX 12.5 MM 3L
3	1	2_110_00101	RAILBOX PLUG&FIX COVER 22.5 MM 2 PCB LARGE PANEL
4	1	2_110_00084	FRONT TRANSPARENT PANEL 29MM
5	1	2_110_00011	SPRING FOR HOOK RAILBOX
General Tolerance UNI EN 22768/1 Media [m]			
from 0.5 to 3 ± 0.1			
from 3 to 6 ± 0.1			
from 6 to 30 ± 0.2			
from 30 to 120 ± 0.3			
from 120 to 400 ± 0.5			
Sheet: 1			
Scale: 1:1	IM:	Drawn: M.S.	Checked: R.N.
The present drawing cannot be reproduced or copied without the written consent of Italtronic S.p.A. All rights reserved. Italtronic S.p.A. is not responsible for any errors or omissions in the drawing.			
Replaces the: R-03440-00			
Description: KIT CONTENTORE RAILBOX PLUG-FIX 35 MM KIT ENCLOSURE RAILBOX PLUG-FIX 35 MM			
Drawing nr. 3_110_00022			
Rev.: 00			
A1			

PCB V FIX










1,6 ±0,1



General Tolerance UN EN 22768/1 Media (mm)					Sheet:		
from 0.5 to 3 ± 0.1	from 3 to 6 ± 0.1	from 6 to 30 ± 0.2	from 30 to 120 ± 0.3	from 120 to 400 ± 0.5	PCB V FIX		
Scale:	Drawn:	Checked:	Date:	Material:	Process:		
1:1	M.S.	R.N.	17/10/2023				
Dimension in mm	Replaces the:		Derived from:	Weight:	Cod. Mold:		
	R-03440-00		--	gr	--		
	Description:					Rev.: 00 A1	
	KIT CONTENITORE RAILBOX PLUG-FIX 35 MM						
	KIT ENCLOSURE RAILBOX PLUG-FIX 35 MM						
	Drawing nr. 3_110_00022						
italtronic enclosures for electronics italtronic.com							

NO COMPONENTS AREA

PCB V PLUG-IN



General Tolerance UNI EN 22768/1 Media (m)					Sheet:	
from 0.5 to 3 ± 0.1	from 3 to 6 ± 0.1	from 6 to 30 ± 0.2	from 30 to 120 ± 0.3	from 120 to 400 ± 0.5	PCB V PLUG-IN	
Scale:	Drawn:	Checked:	Date:	Material:	Process:	
2:1	M.S.	R.N.	17/10/2023			
Dimension in mm		Replaces the:	Derived from:	Weight:	Cod. Mold:	
		R-03440-00	--	gr	--	
Description:					Rev.: 00 A1	
KIT CONTENTORE RAILBOX PLUG-FIX 35 MM						
KIT ENCLOSURE RAILBOX PLUG-FIX 35 MM						
Drawing nr. 3.110_00022						
italtronic						
enclosures for electronics						
italtronic.com						

NO COMPONENTS AREA